

물 품 규 격 서

- 입찰공고번호 : (학)일송학원 재단 관리국 제2025-225호
- 입찰건명 : 비뇨의학과(수술실) Electro Surgical Unit 구매
- 수요기관 : 한림대학교 춘천성심병원
- 납품장소 : 수요기관 희망장소 입고도
- 물품내역 등

연번	품명(영문, 국문)	규격및수량	총 구매예정수량 (Q'TY)	1회 최대 발주수량	Warranty 기간	단위 (Unit)
1	Electro Surgical Unit (전기수술기)	하단 참조	1	1	검수(합격)일로부터 3년 종료월 말일까지	SET

□ 공통사항

1. 장비의 설치와 작동 및 교육은 무상으로 제공한다.
2. 수요기관 담당자 입회 하에 계약상대자는 제품의 설치 테스트 및 시험작동을 실시하여야한다.
3. 무상 하자담보 책임기간은 물품 검수(합격) 완료일로부터 **3년 종료월 말일까지**를 기본 원칙으로 하며 계약상대자의 추가 제안에 따라 3년 종료 월 말일까지의 기간을 초과하여 설정할 수 있다.
4. 무상 하자담보 책임기간 중 수요기관의 사정으로 인하여 부서 및 장비의 위치가 불가피하게 이동을 필요로 할 경우 설명 및 설치가 무상으로 이루어진다.
5. 하자담보 책임기간 중 공급된 장비의 부속품이 단종된 경우 수요기관이 인정하는 동등 이상의 장비로 무상교체가 이루어져야 한다.
6. 계약상대자는 어떠한 상황에서도 애프터서비스를 위하여 전문서비스 인력을 제공하여야 하며 애프터서비스를 위하여 교체 부품을 보관하여야 한다.
7. 계약상대자는 장비 납품 시 납품일을 기준으로 제품 제조년월이 6개월 이내인 장비를 납품 하고 납품장비에 해당 제조년월이 명시되어야 한다.

<규격·사양>

A. Features

1. Controlled cutting function and application of energy to the tissue with pinpoint precision
2. Real bipolar system thanks to current flow through the electrode
3. The high-performance generator offers the option of additional bipolar techniques such as vaporization and enucleation
4. Maximum user-friendliness thanks to high-resolution touch display

B. Specification

1. Main unit

- 1) Power supply : 220-240 VAC, 50/60 Hz
- 2) EMC : IEC60601-1-2
- 3) Degree of protection provided by the housing : IP 21
- 4) Protection class according to EN 60601-1 : I
- 5) Applied part type according to EN 60601-1 : CF
- 6) Classification according to EU Directive 93/42/EEC : IIb
- 7) Power consumption in standby mode : 40W/85VA
- 8) Max.power consumption at max. HF power output of 400watt
- 9) Connection for potential equalization
- 10) Voltage Range 230V
Input voltage range : 198V to 264V
Main fuse : 2 x 5A slow blow
- 11) Voltage Range 100V, 115V
Input voltage range : 100V to 130V
Main fuse : 2 x 10A slow blow

C. Consist of

- | | |
|---------------------------------------|------|
| 1. Main Unit | 1Set |
| 2. Two-Pedal Footswitch | 1ea |
| 3. Bipolar High-Frequency Cord. 400cm | 1ea |

D. Remarks

Warranty : 검수(합격)일로부터 3년 종료월 말일까지